

IBM WebSphere Business Modeler V6.2: Process Mapping and Analysis

(Course code WB284 / VB284)

Lab Setup Guide for Classroom Delivery

ERC 1.0



WebSphere Education

Trademarks

IBM® is a registered trademark of International Business Machines Corporation.

The following are trademarks of International Business Machines Corporation in the United States, or other countries, or both:

AIX® AS/400® Balance®
ClearCase® DB2® FileNet®
FlowMark® Lotus® Notes®

Rational® Rational Unified Process® RequisitePro® RUP® Storyboard™ WebSphere®

XDE™ 400®

VMware® and the VMware "boxes" logo and design, Virtual SMP and VMotion are registered trademarks or trademarks (the "Marks") of VMware, Inc. in the United States and/or other jurisdictions.

Adobe is either a registered trademark or a trademark of Adobe Systems Incorporated in the United States, and/or other countries.

Intel and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Java and all Java-based trademarks and logos are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Microsoft, Windows and Windows Vista are trademarks of Microsoft Corporation in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.

March 2009 edition

The information contained in this document has not been submitted to any formal IBM test and is distributed on an "as is" basis without any warranty either express or implied. The use of this information or the implementation of any of these techniques is a customer responsibility and depends on the customer's ability to evaluate and integrate them into the customer's operational environment. While each item may have been reviewed by IBM for accuracy in a specific situation, there is no guarantee that the same or similar results will result elsewhere. Customers attempting to adapt these techniques to their own environments do so at their own risk.

Contents

Trademarks	V
Purpose	vii
Lab setup guide overview	1
Setting up the lab environment using a VMware image	
Hardware requirements	
Software requirements	
Network requirements	
Skills required to set up the lab	
Classroom preparation process overview	
Workstation setup overview	
Section 1: Preparing the base workstations	
Section 3: Installing the VMware images	
Image information	
VMware virtual machine setup instructions	
Image customization and environment settings	
Verification procedures	
Installing the lab environment manually (non-VMware)	17
Hardware requirements	
Software requirements	
Network requirements	18
Skills required to set up the lab	
Setup instructions	
General lab environment information	
Operating system setup instructions	
Software setup instructions	
Part 1: Installing WebSphere Business Modeler V6.2 Advanced Edition	
Part 2: Installing IBM Lotus Forms Designer V3.5	
Part 4: Installing Rational RequisitePro and Integration Plug-in	
Part 5: Installing Rational ClearCase LT server	
Part 6: Creating the VOB and view	
Part 1: Installing WebSphere Business Modeler Publishing Server V6.2	
Verification procedures	
Appendix. Introduction to virtual machines	53
Preface	
Virtual machines in the classroom	
Running virtual machines with the VMware Player application	
Additional requirements with VMware Player	54

Trademarks

The reader should recognize that the following terms, which appear in the content of this training document, are official trademarks of IBM or other companies:

IBM® is a registered trademark of International Business Machines Corporation.

The following are trademarks of International Business Machines Corporation in the United States, or other countries, or both:

AIX® AS/400® Balance® ClearCase® DB2® FileNet® FlowMark® Lotus® Notes®

Rational® Rational Unified Process® RequisitePro® RUP® Storyboard™ WebSphere®

XDE™ 400®

VMware® and the VMware "boxes" logo and design, Virtual SMP and VMotion are registered trademarks or trademarks (the "Marks") of VMware, Inc. in the United States and/or other jurisdictions.

Adobe is either a registered trademark or a trademark of Adobe Systems Incorporated in the United States, and/or other countries.

Intel and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Java and all Java-based trademarks and logos are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.


Microsoft, Windows and Windows Vista are trademarks of Microsoft Corporation in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.

Purpose

This **Lab Setup Guide** provides directions for installing, preparing, and verifying the lab hardware and software in preparation for conducting a class of course WB284 / VB284.

The Requirements sections of this document may also be used to determine the specific hardware and software needed to conduct a class.



Lab setup guide overview

The purpose of this lab setup guide is to assist the classroom preparer in setting up the WB284 / VB284 classroom lab environment. This guide is separated into two parts:

- "Setting up the lab environment using a VMware image" on page 3
- "Installing the lab environment manually (non-VMware)" on page 17


The classroom preparer only needs to complete one of the above parts to complete the classroom lab environment.



Important

It is strongly recommended that every attempt be made to use the VMware image. If a manual installation is required, a WebSphere Education representative should be contacted beforehand to discuss this solution.

Keep in mind that the instructor will not have sufficient time to manually install the software needed for the lab exercises if the classroom in not properly prepared for the first day.



Setting up the lab environment using a VMware image

For an instructor-led training (ILT) classroom delivery, the classroom preparer is responsible for preparing:

Instructor or student workstation	How many workstations	Per how many students	Notes
instructor	one	n/a	
student	one	N	One computer for N students
student			

Each student workstation and the instructor workstation will host a VMware virtual machine, pre-configured for the lab exercises.

The following tables list the hardware, software, and network requirements needed to set up a lab to support course WB284 / VB284.

Hardware requirements

This section lists the recommended hardware requirements for a student workstation.

code	speed	memory	Minimum free hard disk space	Display resolution
65	Intel Pentium 4 3.0 GHz or faster	3.0 GB	40 GB	1024 x 768 pixels



Important

Ensure all nonessential software installed on the machine is set to *not* start automatically. The above memory requirement assumes the host operating system requires no more than 512 MB memory and all of the remaining memory will be available to the VMware image.

If you are unsure whether your classroom environment meets the specified hardware requirements, **contact your WebSphere Education representative** immediately. The performance of the lab exercises will be severely affected if the classroom systems do not meet the stated requirements.

Software requirements

This section lists the software needed to prepare the lab environment. When preparing for a class, be sure you have the correct number of licensed copies of any non-IBM software.

Software product	Version	Licensing requirement	
Microsoft Windows XP	Service Pack 2 or greater	Site must provide sufficient	
MICIOSOIL WIIIdows XP	Service Fack 2 or greater	licenses for private offerings.	
Muses Player	2.0 F or later	Site must satisfy the end-user	
VMware Player	2.0.5 or later	license agreement.	



Important

Ensure all nonessential software installed on the machine is set to *not* start automatically. If non-essential software is running, performance problems may be caused because there may be insufficient memory available to support both the host operating system and VMware image.

VMware Player 2.0.5 or later is supported.

Administrator-level privileges are required to install the VMware Player software.

Network requirements

This section specifies the network requirements for the lab environment.


Network connectivity required	No
Internet connectivity required	No
DHCP required	No
Fixed IP addresses required	No

Skills required to set up the lab

The following specialized skills are required by the classroom preparer to set up the lab environment:

- Install Windows applications on Microsoft Windows XP
- Verify user access rights on Microsoft Windows XP
- Configure network adapter drivers on Microsoft Windows XP

Classroom preparation process overview



Workstation setup overview

The following classroom setup instructions are separated into the following sections:

- Section 1. Preparing the base workstations: This section describes how to configure the physical (host) student machines with the proper operating system, network, and software settings.
- Section 2. Installing VMware Player: This section describes how to download, install, and configure VMware Player.

• Section 3. Installing the VMware images: Describes how to uncompress, load, and verify the virtual (guest) student computing environment. The guest system runs as a virtual computer on the physical, host system.



Note

If you need additional information on virtual machines, see "Appendix. Introduction to virtual machines" on page 53 which provides an introduction to the concept of virtual machines and the VMware player application.

Section 1: Preparing the base workstations

General lab environment information

The ideal lab environment is to have all student machines connected to the same LAN with TCP/IP correctly configured so that machines can connect to each other using their host names.

If no LAN adapter is available, the Microsoft Loopback Adapter should be configured as the default LAN adapter with a private TCP/IP address so that the TCP/IP stack will be active.

Refer to the Microsoft Knowledge Base for information on how to configure this option.

Operating system setup instructions

⊨nsur	e tr	ie operating system is set up correctly:
1.	En	sure the operating system listed in the software requirements section is installed
2.		sure the local user account has sufficient administrator-level privileges to install vMware Player application.
	a.	From the Windows Start menu, open Control Panel > Administrative Tools > Computer Management .
	b.	In the Computer Management console, expand Computer Management (Local) > System Tools > Local Users and Groups

> Users.

___ c. Double-click the user account that is currently logged in.



- ___ d. In the user properties window, switch to the **Member Of** tab.
- ___ e. Verify that the currently logged in user account is a member of an administrator-level user group.



___ f. Close the user properties window and the Computer Management console.



Contact the computer network administrator to determine the user access rights available to students on each classroom computer. Most corporations enforce network domain policies to restrict access privileges on each individual desktop computer. You might have to request administrator-level access in order to install additional software on each computer.

Keep in mind that local administrator-level access will be overridden by group security policies on the domain controller.

For more information, review the Windows XP Professional product documentation on user accounts:

http://www.microsoft.com/resources/documentation/windows/xp/all/proddocs/en-us/usercpl overview.mspx

Section 2: Installing VMware Player

Perform the following steps to download, install, and configure VMware Player on each student and instructor workstation.



WebSphere Education courses require VMware Player version 2.0.5 or later.

a.	Open a new Web browser window.
 b.	Navigate to Web address http://www.vmware.com/products/player.
	In the main product page, click the Download link.
C.	
_ d.	Click the Download link for VMware Player 2.0.5 , build 109488 .
	VMware Player 2.5
	Latest Version: 2.5 2008/09/23 Build: 118166 Release Notes
	O Download Now
	Version History Open Source
	VMware Player 2.0.5
	Version: 2.0.5 2008/08/28 Build: 109488
	Download Ro ease Notes
	VMware Player 2.0.4
	Version: 2.0.4 2008/05/29 Build: 93057
	Download Release Notes

cannot proceed with the lab setup.

___ f. Under Version History, scroll down to **VMware Player 2.0.5** and select the **Download for Windows** link.



Thank you for registering for VMware Player!

You may proceed to download VMware Player below or learn more about VMware Player.




- ___g. Download a copy of the product to each student workstation and instructor machine.
- __ 2. Install the VMware Player application. The steps below are for version 2.0.5. There may be differences for later versions.
 - ___ a. Double-click the **VMware-player-2.0.5-109488.exe** self-extracting archive.
 - __ b. When the VMware Player installation wizard appears, click **Next**.



___ c. Review the end-user license agreement. If you do not accept the license, you cannot proceed with the lab setup.

- ___ d. Leave the destination folder to the default setting of C:\Program Files\VMware\VMware Player and click Next.
- e. Leave the configure shortcut settings to the default of **Desktop**, **Start Menu Programs folder**, and **Quick Launch toolbar**. Click **Next**.
- ___f. In the configure product page, clear the **Enable the Google searchbar** check box. Click **Next**.




- __ g. Click **Install** to proceed with the installation. The installation process might take 5–10 minutes to complete.
- __h. Verify that no error messages appear during product installation.
- i. Click **Finish** to close the installer.



Information

VMware Player installs additional network drivers in order to perform network address translation (NAT) and bridged networking. If you do not have administrator-level privileges on the current Microsoft Windows operating system, the installation might fail at this point.



Section 3: Installing the VMware images

This course uses a preconfigured computer environment, supplied by IBM WebSphere Education. The VMware virtual machine, also known as a virtual machine image, represents a self-contained computer running on your student workstation. This configuration eliminates the need for your classroom preparer to install course-specific software.



Note

For a quick introduction to VMware virtual machines, consult "Appendix. Introduction to virtual machines" on page 53.

Image information

The following section provides information about the VMware image, including system requirements and logon information.

To download the VMware image for this course, go to http://catalog.atlanta.ibm.com and search by course code or title.

Image setting	Value
Image name	WB282_VB282_16MAR09_XP_Modeler62_erc1.0.zi
Size of uncompressed image	11 GB
Operating system installed	Microsoft Windows XP
Additional software required	No
Network access requirements	Isolated (no network access)
Network IP configuration	Not applicable
Network bandwidth requirements	Not applicable
Primary account username	Administrator
Primary account password	web1sphere

VMware virtual machine setup instructions

Perform the following steps to uncompress the VMware virtual machine image onto each student workstation. As part of the course materials, you should have received a set of CD-ROM discs containing the virtual machine image.

 _ 1.	Ex	tract the virtual machine files onto the student workstation.
	a.	Insert the first virtual machine image CD into the CD-ROM drive.
	b.	Run the setup application on the root of the CD-ROM disc.
	C.	When prompted, accept the default directory for the destination of the image files on the hard drive.
	d.	Start the application to uncompress the virtual machine image files onto the hard drive.
 _2.		nen prompted, remove the current CD-ROM disc and insert the next virtual achine image CD in sequence.
 _3.		the conclusion of this process, the VMware image should be built on the \vmwareimages directory.

Image customization and environment settings


Perform the following steps after loading the VMware virtual machine image onto each workstation.

No customization steps required.

Verification procedures

Use the following information to verify the installation and configurations of the student and instructor systems.

- ___ 1. Start the virtual machine with VMware Player.
 - __ a. From the Windows Start menu, select **Programs > VMware > VMware Player**.
 - ___b. In the **Browse for virtual machine configuration file** dialog, navigate to the directory where you had uncompressed the virtual machine files. (If you selected the default directory, then it will be C:\vmwareimages).
 - __ c. Select the .vmx file and click Open.



- ___d. Wait until the Windows logon screen appears in the virtual machine.
- ___ e. Log on to Windows using the following:
 - Username: Administrator
 - Password: web1sphere
- ___ f. Make sure that the Windows desktop appears without any errors.
- ___ 2. Verify that the virtual machine has been assigned a proper IP address.

__ a. Within the virtual machine, select **Run** from the Windows Start menu. Make sure that you are performing this task within the virtual machine (guest system) and not the physical machine (host system).



- ___ b. In the Run dialog, enter: cmd
- c. Click **OK** to continue.
- ___ d. When the Windows command prompt appears, type **ipconfig** to list all network devices configured within the virtual machine. Press Enter.
- __ e. Verify that the Local Area Connection Ethernet adapter has received an IP address.
 - For virtual machines using **Network address translation**, the IP address should be in the private IP range of 192.168.x.x
 - For virtual machines using **Bridged networking**, the IP address should be in the same range as the physical machine (host system).

Verifying the input language and keyboard layout

Perform the following steps to ensure the virtual machine is set to the correct input language and keyboard layout.

- ___ 1. Click Start > Control Panel > Regional and Language Options.
- ___ 2. Select the **Languages** tab

 3. Click Details. 4. Verify the default input language corresponds to your keyboard layout. 5. If required, change the default input language and keyboard layout to the correct values. Optimizing the memory allocation setting for the virtual machine If possible, you should increase the memory allocation of the virtual machine to enhance performance. To do so, perform the following steps: In the VMware Player menu bar, select Player > Troubleshoot > Change Memory Allocation. In the Memory dialog, adjust the amount of memory allocated to the virtual machine based on the total amount of physical memory available. For example, if you have 3 GB of physical memory, allocating 2 GB to the virtual machine is recommended. Click OK to accept the changes. VMware Player reminds you that the memory allocation settings take effect upon system reset. Click OK to close the dialog. Reset the virtual machine to apply the memory allocation changes. In the VMware Player menu bar, select Player > Troubleshoot > Reset. Hint To access Windows Task Manager from the VMware image, press Ctrl + Alt + Insert. Stop Stop This completes the installation and customization of the lab environment using a VMware image.		
 5. If required, change the default input language and keyboard layout to the correct values. Optimizing the memory allocation setting for the virtual machine If possible, you should increase the memory allocation of the virtual machine to enhance performance. To do so, perform the following steps: 1. In the VMware Player menu bar, select Player > Troubleshoot > Change Memory Allocation. 2. In the Memory dialog, adjust the amount of memory allocated to the virtual machine based on the total amount of physical memory available. For example, if you have 3 GB of physical memory, allocating 2 GB to the virtual machine is recommended. 3. Click OK to accept the changes. 4. VMware Player reminds you that the memory allocation settings take effect upon system reset. Click OK to close the dialog. 5. Reset the virtual machine to apply the memory allocation changes. In the VMware Player menu bar, select Player > Troubleshoot > Reset. Hint To access Windows Task Manager from the VMware image, press Ctrl + Alt + Insert. Stop This completes the installation and customization of the lab environment using a VMware 	_ 3. Click Details .	
Optimizing the memory allocation setting for the virtual machine If possible, you should increase the memory allocation of the virtual machine to enhance performance. To do so, perform the following steps: 1. In the VMware Player menu bar, select Player > Troubleshoot > Change Memory Allocation. 2. In the Memory dialog, adjust the amount of memory allocated to the virtual machine based on the total amount of physical memory available. For example, if you have 3 GB of physical memory, allocating 2 GB to the virtual machine is recommended. 3. Click OK to accept the changes. 4. VMware Player reminds you that the memory allocation settings take effect upon system reset. Click OK to close the dialog. 5. Reset the virtual machine to apply the memory allocation changes. In the VMware Player menu bar, select Player > Troubleshoot > Reset. Hint To access Windows Task Manager from the VMware image, press Ctrl + Alt + Insert.	4. Verify the default input language corresponds to your keyboard layout.	
If possible, you should increase the memory allocation of the virtual machine to enhance performance. To do so, perform the following steps: 1. In the VMware Player menu bar, select Player > Troubleshoot > Change Memory Allocation. 2. In the Memory dialog, adjust the amount of memory allocated to the virtual machine based on the total amount of physical memory available. For example, if you have 3 GB of physical memory, allocating 2 GB to the virtual machine is recommended. 3. Click OK to accept the changes. 4. VMware Player reminds you that the memory allocation settings take effect upon system reset. Click OK to close the dialog. 5. Reset the virtual machine to apply the memory allocation changes. In the VMware Player menu bar, select Player > Troubleshoot > Reset. Hint To access Windows Task Manager from the VMware image, press Ctrl + Alt + Insert. To access Windows Task Manager from the VMware image, press Ctrl + Alt + Insert.		
enhance performance. To do so, perform the following steps: 1. In the VMware Player menu bar, select Player > Troubleshoot > Change Memory Allocation. 2. In the Memory dialog, adjust the amount of memory allocated to the virtual machine based on the total amount of physical memory available. For example, if you have 3 GB of physical memory, allocating 2 GB to the virtual machine is recommended. 3. Click OK to accept the changes. 4. VMware Player reminds you that the memory allocation settings take effect upon system reset. Click OK to close the dialog. 5. Reset the virtual machine to apply the memory allocation changes. In the VMware Player menu bar, select Player > Troubleshoot > Reset. Hint To access Windows Task Manager from the VMware image, press Ctrl + Alt + Insert. STOP Stop This completes the installation and customization of the lab environment using a VMware	Optimizing the memory allocation setting for the virtual machine	
Change Memory Allocation. 2. In the Memory dialog, adjust the amount of memory allocated to the virtual machine based on the total amount of physical memory available. For example, if you have 3 GB of physical memory, allocating 2 GB to the virtual machine is recommended. 3. Click OK to accept the changes. 4. VMware Player reminds you that the memory allocation settings take effect upon system reset. Click OK to close the dialog. 5. Reset the virtual machine to apply the memory allocation changes. In the VMware Player menu bar, select Player > Troubleshoot > Reset. Hint To access Windows Task Manager from the VMware image, press Ctrl + Alt + Insert. STOP Stop This completes the installation and customization of the lab environment using a VMware		
based on the total amount of physical memory available. For example, if you have 3 GB of physical memory, allocating 2 GB to the virtual machine is recommended. 3. Click OK to accept the changes. 4. VMware Player reminds you that the memory allocation settings take effect upon system reset. Click OK to close the dialog. 5. Reset the virtual machine to apply the memory allocation changes. In the VMware Player menu bar, select Player > Troubleshoot > Reset . Hint To access Windows Task Manager from the VMware image, press Ctrl + Alt + Insert . STOP Stop This completes the installation and customization of the lab environment using a VMware	· · · · · · · · · · · · · · · · · · ·	
4. VMware Player reminds you that the memory allocation settings take effect upon system reset. Click OK to close the dialog. 5. Reset the virtual machine to apply the memory allocation changes. In the VMware Player menu bar, select Player > Troubleshoot > Reset . To access Windows Task Manager from the VMware image, press Ctrl + Alt + Insert . This completes the installation and customization of the lab environment using a VMware	based on the total amount of physical memory available. For example, if you have 3	
system reset. Click OK to close the dialog. 5. Reset the virtual machine to apply the memory allocation changes. In the VMware Player menu bar, select Player > Troubleshoot > Reset . Hint To access Windows Task Manager from the VMware image, press Ctrl + Alt + Insert . This completes the installation and customization of the lab environment using a VMware	_ 3. Click OK to accept the changes.	
Player menu bar, select Player > Troubleshoot > Reset. Hint To access Windows Task Manager from the VMware image, press Ctrl + Alt + Insert. Stop Stop This completes the installation and customization of the lab environment using a VMware		
To access Windows Task Manager from the VMware image, press Ctrl + Alt + Insert. Stop Stop This completes the installation and customization of the lab environment using a VMware		
This completes the installation and customization of the lab environment using a VMware	- int	`
This completes the installation and customization of the lab environment using a VMware	o access Windows Task Manager from the VMware image, press Ctrl + Alt + Insert.	
This completes the installation and customization of the lab environment using a VMware		J
•	STOP Stop	`
	•	
		J

Installing the lab environment manually (non-VMware)

The following section provides information on how to manually create the lab environment that is needed to conduct the lab exercises in this course.

Perform the manual lab setup under the following conditions only:

- You are not allowed to install the VMware Player.
- You tried to perform the lab setup using the VMware image and you were unable to successfully install the VMware Player software on the student or instructor workstation.
- Verification of the virtual machine image settings, including network connectivity, failed.



Important

Contact your WebSphere Education representative before attempting to perform these steps.

For an instructor-led training (ILT) classroom delivery, the classroom preparer is responsible for preparing:

Instructor or student workstation	l •	Per how many students	Notes
instructor	one	n/a	
student	one	N	One computer for N students
student			

The following tables list the hardware, software, and network requirements needed to set up a lab to support course WB284 / VB284.

Hardware requirements

This section lists the recommended hardware requirements for a student workstation.

Tier code	speed	memory	Minimum free hard disk space	Display resolution
65	Intel Pentium 4 3.0 GHz or faster	3.0 GB	40 GB	1024 x 768 pixels



Important

If you are unsure whether your classroom environment meets the specified hardware requirements, **contact your WebSphere Education representative** immediately. The

performance of the lab exercises will be severely affected if the classroom systems do not meet the stated requirements.

Software requirements

This section lists the software needed to prepare the student lab environments. When preparing for a class, be sure to have the correct number of copies of any non-IBM software.

Software product	Version	Licensing requirement
Microsoft Windows XP	Service Pack 2 or greater	Site must provide sufficient licenses for private offerings.
IBM WebSphere Business Modeler Advanced	V6.2	Site must satisfy the end-user license agreement.
IBM WebSphere Business Modeler Publishing Server	V6.2	Site must satisfy the end-user license agreement.
IBM Lotus Form Designer	V3.5	Site must satisfy the end-user license agreement.
IBM Lotus Form Viewer	V3.5	Site must satisfy the end-user license agreement.
IBM Rational RequisitePro	V7.0.1	Site must satisfy the end-user license agreement.
IBM Rational ClearCase LT	V7.0.1	Site must satisfy the end-user license agreement.
Internet Explorer	V6 SP2 or later	Site must satisfy the end-user license agreement.

Network requirements

This section specifies the network requirements for the lab environment.

Network connectivity required	No
Internet connectivity required	No
DHCP required	No
Fixed IP addresses required	No

Skills required to set up the lab

The following specialized skills are required by the classroom preparer to set up the lab environment:

- Install Windows applications on Microsoft Windows XP
- · Verify user access rights on Microsoft Windows XP

• Configure network adapter drivers on Microsoft Windows XP

Setup instructions

General lab environment information

The ideal lab environment is to have all student machines connected to the same LAN with TCP/IP correctly configured so that machines can connect to each other using their host names.

If no LAN adapter is available, the Microsoft Loopback Adapter should be configured as the default LAN adapter with a private TCP/IP address so that the TCP/IP stack will be active.

Refer to the Microsoft Knowledge Base for information on how to configure this option.

Operating system setup instructions

Perform the following steps to install and customize the base operating system.

___ 1. No customization is required for base operating system

Software setup instructions

Perform the following steps to install and customize software that is required in addition to the operating system.

- ___ 1. Extract the WB282_ERC1.0_LABFILES.zip file onto C:\ drive. Unzipping of this file may take up to 5 minutes. This file contains lab files necessary to perform hands-on lab exercises during the course.
- ___ 2. You will need to copy the following folders into the C:\ drive
 - Workspaces
 - Student Files
 - Additional Materials


Part 1: Installing WebSphere Business Modeler V6.2 Advanced Edition

1.	Log onto Windows as Administrator or log on using an account that is a member of the Administrators group.
2.	Download and extract the installation files for WebSphere Business Modeler Advanced Edition or insert the installation media. At the time of this writing, the Modeler download was an archive file named ModelerAdvanced62_win.zip.
3.	Double-click launchpad.exe to start the installation launchpad.
4.	Click the Install IBM WebSphere Business Modeler Advanced V6.2 link.
5.	Leave the installation package for IBM WebSphere Business Modeler Advanced selected and click Next .


6.	At the program license agreement panel, select I accept the terms in the license agreements and click \textbf{Next} .
7.	At the install packages panel, leave Create a new package group selected, change the Installation Directory to C:\IBM\WBModeler62 and click Next .
8.	At the features panel, leave the following default options selected for WebSphere Business Modeler Advanced and click Next .
9.	At the summary information panel, review the target locations and features and click Install .
10.	When the installation is complete, select None for the option: Which of the following packages would you like to start?
11.	Click Finish to exit the Installation Manager and close the launchpad.
Part	2: Installing IBM Lotus Forms Designer V3.5
1.	Download and extract the installation files for Lotus Forms Designer or insert the installation media. At the time of this writing, the installation file was an archive file named <code>C1KTOML.zip</code> or <code>C1SLOML.zip</code>
2.	Locate and run the LFDesigner_35_Win32.exe file.
3.	Select English (United States) and click OK.
4.	In the Welcome window, click Next
5.	Select the radio button for I accept the terms in the license agreement and click $\mbox{\bf Next.}$
6.	Select Add Designer to an existing IBM Software and click Next.
7.	In the next screen, make sure that you select the same directory that contains WebSphere Business Modeler. Select the directory C: \IBM\WBModeler62 and click Next.
8.	Click Install. The installation may take a few minutes.
9.	Once installation is complete, click Finish to exit the installer.
Part	3: Installing IBM Lotus Forms Viewer V3.5
1.	Download and extract the installation files for Lotus Forms Designer or insert the installation media. At the time of this writing, the installation file was an archive file named ${\tt C1KS9ML.zip}$
2.	Locate and run the LFDesigner_35_Win32.exe file.
3.	Select English (United States) and click OK.
4.	In the Welcome window, click Next
5.	Select the radio button for I accept the terms in the license agreement and click Next.

6.	Select Add Viewer to an existing IBM Software and click Next.
7.	In the next screen, make sure that you select the same directory that contains WebSphere Business Modeler. Select the directory $C:\DBM\WBModeler62$ and click Next.
8.	Click Install. The installation may take a few minutes.
9.	Once installation is complete, click Finish to exit the installer.
Part	4: Installing Rational RequisitePro and Integration Plug-in
plug-ii will fir	ection walks you through the installation of the Rational RequisitePro Integration of the Sphere Business Modeler V6.2. In order for the plug-in to be enabled, you st need to install Rational RequisitePro. This requires you to have the license key formal RequisitePro.
Insta	Iling Rational RequisitePro V7.0.1
1.	Download and extract the installation files for Rational RequisitePro V7.0.1or insert the installation media. At the time of this writing, the installation file was an archive file named ${\tt C11QLML.zip}$
2.	Within the directory containing installation files for Rational RequisitePro, double-click setup.exe to launch the installation. The IBM Rational RequisitePro LaunchPad window displays.

__ 3. In the LaunchPad window, click Install IBM Rational RequisitePro. The IBM Rational Setup Wizard window displays




- ___ 4. On the first screen of the Setup Wizard, click **Next**.
- ___ 5. On the Deployment Method screen, verify Desktop installation from CD image is selected and click Next.



This launches the Setup Wizard from your local files.


- ___ 6. In the Setup Wizard, click **Next**.
- __7. Close any other applications on your computer and disable any anti-virus software.
- __ 8. On the **Product Warnings** screen, click **Next** to proceed with installation.




9. In the Software License Agreement window, click Accept.



___ 10. On the **Destination Folder** screen, accept the default installation directory (C:\Program Files\Rational) and click **Next**.



__ 11. On the Custom Setup screen, accept the default features and click Next.



12. On the next screen, click **Install** and wait for the product to be installed. The installation should take less than five minutes, depending on your system performance.

_ 13. Click **Finish** when the installation is complete.



Your will now need to obtain a license key in order to use Rational RequisitePro. Contact your IBM Rational Sales Representative.


- ____14. After installation completes, the **IBM Rational License Key Administrator** window appears, along with the **License Key Administrator Wizard** window.

 If you do not see this application, you can start it by navigating to **Start > Programs** > **IBM Rational > IBM Rational License Key Administrator**.
- ___ 15. If you will be importing a Rational License File, select **Import a Rational License**File and click **Next**.

Otherwise select the appropriate option. The rest of these instructions assume that you have a UPD license file .



- ___ 16. Click **Browse**, point to the location of your UPD file, and click **Open**.
- ___ 17. In the **Confirm Import** window, verify the contents of the license file and click **Import**.



_ 18. Click **OK** when the file is imported successfully.



_ 19. If the **Restart License Server** dialog box appears, click **Yes**.



__ 20. In the IBM Rational License Key Administrator window, verify that the license key for Rational RequisitePro has been imported.



- 21. Close IBM Rational License Key Administrator.
- ___ 22. Exit Rational RequisitePro.


Installing the Rational RequisitePro Integration plug-in

This installation requires you to start WebSphere Business Modeler.


- ___ 1. Launch WebSphere Business Modeler and use any workspace.
- ___ 2. Navigate to Help > Software Updates > Find and Install. The Install wizard opens.
- __ 3. Select Search for new features to install and click Next.




___ 4. On the **Update sites to visit** page, select the **IBM Rational RequisitePro Update**Site check box and click **Finish**.




_ 5. On the Search Results page, expand IBM Rational RequisitePro Update Site > RequisitePro and select IBM RequisitePro Integration Plug-in for WebSphere Business Modeler 6.2.




- Click Next.
- ____7. On the **Feature License** page, read the license agreement and accept the agreement by clicking **I accept the terms in the license agreement**.




- Click Next.
- ___ 9. On the **Installation** page, verify the installation directory and click **Finish**.




___ 10. Wait for the Update Manager to finish downloading the installation components.



__ 11. If the Verification dialog box appears, click Install to allow this feature to be installed.



After WebSphere Business Modeler has installed the Rational RequisitePro integration, a dialog box opens. This message recommends that you restart WebSphere Business Modeler.




___ 12. Restart WebSphere Business Modeler by clicking **Yes**.

Part 5: Installing Rational ClearCase LT server


This also requires that you have the license key for the product.

- ___ 1. Download and extract the installation files for Rational RequisitePro V7.0.1or insert the installation media. At the time of this writing, the installation file were archive files named C11QIML.zip.
 - 2. Run the installation executable file for Rational ClearCase LT server.




__ 3. Click Next.

4. Select Rational ClearCase LT in the Rational Products list and click Next.




_ 5. Select the Desktop install from CD image option and click Next.



_ 6. Select the **Install server and client software** option and click **Next**.



7. Click **Next** on the **Rational ClearCase LT – Setup Wizard** screen.




__ 8. Click **Next** on the warning screen.


9. Choose the I accept the terms in the license agreement option and click Next.




10. Accept the default destination folder and click the **Next** button.




11. Click **Next** on the **Custom Setup** screen.




12. Click **Done** on the **Configure Rational ClearCase** screen.



__ 13. Click **Install** on the **Ready to Install** screen.




14. When the installation finishes, clear both check boxes as follows:



__ 15. Click **Finish**.

16. A restarting request message box will show up. Click Yes.



- 17. After the restarting your computer, the firewall on your computer may be up again, and this will cause the **Getting Started Wizard** to fail. So the following special steps should be taken.
- __ 18. After starting up, click Cancel to close the Getting Started Wizard.




___ 19. If a warning window appears saying you must restart the installation in order to install successfully, click **OK**.




- ___ 20. Shut down the firewall described in **Part 2 Preparing the Setup Environment** section.
- 21. Click Start > Programs > Rational Software > Rational ClearCase > Administration > Getting Started Wizard.
- ___ 22. Click **Next** on the **Getting Started Wizard** screen.



23. Click **Next** (this error message only applies to Window XP).




24. Click **Next** to accept the default folder.




___ 25. Click **OK** in the Rational ClearCase LT Getting Started Wizard window, which states "The selected volume C:\ClearCaseStorage is not an NTFS volume..."


26. Click **Next** to accept the default name of the ClearCase LT VOB.




27. Click **Next** to accept the default name of the ClearCase Project.



28. Click **Next** on the **Summary of ClearCase Configuration**.




29. Click Next to complete the Getting Started Wizard.




__ 30. Click **Close** to exit the **Getting Started Wizard**.

- ___ 31. Go to Start > Programs > Rational Software > Rational License Key Administrator.
- ___ 32. Click Cancel to close the License Key Administrator Wizard.
- ___ 33. From the menu bar of the License Key Administrator window click Settings > Client/Server Configuration
- 34. Check the **Use License Server** box.
- 35. Click the **Add Server** button.



__ 36. Enter localhost as the Server Name.



- 37. Click **OK**.
- ___ 38. Go to **File > Exit** to close Rational License Key Administrator.


Part 6: Creating the VOB and view

You will create a view and VOB (versioned object base) storage on the server that will contain the shared projects.


To create a Rational ClearCase VOB, complete the following steps:

___ 1. Click Start > Programs > Rational Software > Rational ClearCase > Administration > Create VOB.

The **VOB Creation Wizard** is displayed.




_2. Enter Test VOB as follows:




- ___ 3. Click Next.
- ___ 4. Select Allow this VOB to contain multiple components.
- ___ 5. Click **Finish**.

The VOB creation confirmation is displayed.




6. Click **OK**.

The Creating VOB window is displayed.



- 7. Click **Close**.
- ___ 8. To create a Rational ClearCase view, click **Start > Programs > Rational Software** > **Rational ClearCase > Create View**.

The View Creation Wizard is displayed.



- ___ 9. Click **Next**.
- __ 10. Enter C:\ClearCaseStorage\Views\test view as the location.




___ 11. Click Finish.


_ 12. Click **OK** to confirm.



The Choose Elements To Load window appears.




__ 13. Select **Test_VOB** from the **Available Elements**.



14. Click the **Add** >> button to choose **Test_VOB** to load.

15. Click **OK**.

The **View Creation Status** window appears.



OΚ

Cancel

Help

16. Click **OK**.

Now you have created a VOB in your clear case repository.

Part 1: Installing WebSphere Business Modeler Publishing Server V6.2

- ___ 1. Log onto Windows as Administrator or log on using an account that is a member of the Administrators group.
- 2. Download and extract the installation files for WebSphere Business Modeler Advanced Edition or insert the installation media. At the time of this writing, the Modeler Publishing Server v6.2 download was an archive file named PubServer6.2 win.zip.

Lab Setup Guide for Classroom Delivery				
3. Create a publishing_server_installation_imag4. Extract the files for each supporting product in publishing_server_installation directory:	•			
Product	Directory name			
WebSphere Application Server, Version 6.1.0.21	WAS			
DB2®, Version 9.5	DB2			
WebSphere Business Modeler Publishing Server, Version 6.2	WPBS			
WebSphere Business Modeler Publishing Server information center	IFC			
5. Double-click C:\publishing_server_instalinstallation program.6. On the Welcome panel, review the information				
7. On the Software License Agreement panel, r agreement, and click Accept .	,			
8. Click Next . The installation program performs operating system software is installed on the	, , ,			
9. On the System prerequisites check panel, review the results of the prerequisite check, and click Next to continue.				
10. On the Installation type selection panel, select Typical Installation, and click Next.				
_ 11. On the Installation directory panel, in the WebSphere Business Modeler Publishing Server installation location field, enter C:\IBM\PubServer as the path where WebSphere Business Modeler Publishing Server will be installed, or accept the default location. Click Next .				
12. On the WebSphere Application Server enable complete the following steps:	e administrative security panel,			
• In the User name field: wasadmin.				
 In the Password and Confirm password fi 	elds: wasadmin.			
13. For IBM DB2, you must complete the followir panel:	ng steps on the Database configuration			
• User name: db2admin.				
• Password: db2admin				
14 On the Installation Summary panel, review th	ne information for accuracy before			

___ 16. Click Finish.

beginning the installation.

Modeler V6.2: Process Mapping and Analysis

___ 15. On the Installation Results panel, review the information about the completed installation to verify all components and products were installed properly.

Verification procedures

Use the following information to verify the installation and configuration of the student and instructor lab environments.

- ___ 1. Verify that you can open each image with the VMware Player.
 - __ a. Double-click the VMware Player shortcut, **Shortcut to Windows XP Professional.vmx** on the desktop.
 - ___ b. Log in using the following ID and password:

User ID: Administrator

Password: web1sphere

__ c. After you verify the image, exit the virtual machine by selecting **Player > Exit**.




This completes the manual installation and customization of the lab environment (non-VMware image).

Appendix. Introduction to virtual machines

The following section provides an introduction to the concept of virtual machines and the VMware Player application.

Preface

Virtual machines provide a separate, isolated computing environment as a computer program on your desktop. The virtual machine itself represents a complete computer system: when you power on the virtual machine, it starts up a virtual computer with its own operating system. In effect, virtual machines allow you to operate two or more computers on a single computer workstation.



Virtual machines depend on a technology known as *virtualization*. Unlike *emulation*, where hardware components such as the video card or processor are mimicked by software, virtualization maps the actual hardware resources to the virtual machine environment. This scheme ensures a clean separation between the virtual machine and the real computing system, while retaining most of the speed of the application as if it was running natively on the actual computer system.

Virtual machines in the classroom

Virtual machines are ideal for quickly preparing a set of computer workstations with identical software configuration. Instead of completing a lengthy set of installation instructions, the classroom preparer only needs to uncompress a set of data files that define the virtual machine itself.

Running virtual machines with the VMware Player application

There are several companies that provide virtualization software. WebSphere Education is currently using VMware applications to create, manage, and run virtual machines in its classes.

To reduce the software licensing costs to business partners, WebSphere Education courses use a free-of-charge solution, VMware Player. The only requirement placed upon the classroom preparer is the end-user license agreement for the VMware Player software. If the preparer does not agree to the EULA terms, contact the WebSphere Education engagement manager to discuss alternatives to the VMware application.

Additional requirements with VMware Player

In order to map the existing hardware devices to the virtual machine, the VMware Player application requires direct access to the system resources, such as the network adapter.

Listed below are common issues associated with running a classroom environment with virtual machines and VMware Player software.

- The student workstation needs to support two instances of the operating system, one for the physical (host) machine and one for the virtual machine (guest). Such a configuration places additional burden on memory and processor resources.
- The VMware Player application relies on custom network drivers. The classroom
 preparer must have administrator-level privileges within the Windows operating system
 in order to install the software.
- In bridged networking mode, a running copy of the virtual machine (guest) appears as a real computer on the network. Certain classrooms with strict computer network security policies might not allow unauthorized hosts to appear on the network.

If any of these issues arise during the lab setup process, contact the WebSphere Education engagement manager to discuss workarounds.

IBW.